

Test Report

Customer: **Bottle Promotions (Tacx International BV)**
Rijksstraatweg 52
2241 BW Wassenaar
The Netherlands

Contact Person: Ms. Berdine Heilig-de Boer


BV Order No.: -
Report No.: (25424)204-580609
Report Version: 1
Report Date: 22.07.2024

Sample Information

Testing Requirements: Tested according to "ordered" requirements
Sample Description: Drinking Bottle
Sample Reception: 27.06.2024
Performance Date: 12.07.2024 - 22.07.2024
Sampled By: client

Submitted Samples

No. 1



Summary of Test Results

Tested according to "ordered" requirements

Tests required	Evaluation	Remark
Phthalates	Pass	



**BUREAU
VERITAS**



Deutsche
Akkreditierungsstelle
D-PL-12024-02-00

Report No.: (25424)204-580609

Tested Samples

Article No	Sample ID	Sample description	
	580609-01	1) Body (PE)	
	580609-02	2) Cap (PP)	
	580609-03	3) Pull lid (EVA Copolymer)	

Bureau Veritas Consumer Products Services Germany GmbH
www.bureauveritas.de/cps
Phone: +49 (0)40 - 740 41 - 0

Managing Director: Sebastian Doose
VAT-No.: DE164793120
Reg.No.: Schwerin HRB 3564

Schwerin
Mettenheimer Straße 12-14, 19061 Schwerin
cps-schwerin@bureauveritas.com

Hamburg
Oehleckerring 40, 22419 Hamburg
cps-hamburg@bureauveritas.com

Türkheim
Businesspark A96, 86842 Tuerkheim
cps-tuerkheim@bureauveritas.com

Nuremberg
Thurn-und-Taxis-Str. 18, 90411 Nuremberg
cps-nuernberg@bureauveritas.com



BUREAU
VERITAS



Deutsche
Akkreditierungsstelle
D-PL-12024-02-00

Report No.: (25424)204-580609

Test Results

Tested according to "ordered" requirements

Sample Description: 1) Body (PE)		Lab Reference No: 580609-01	
Test Method / Standard: Phthalates: DIN EN ISO 14389:2023-01 (modified), extraction with THF/ACN, GC-MS and/or LC-MS analysis, reporting limit: 50 mg/kg			
Test Location: Parameter has been analyzed at accredited BVCPS laboratory Schwerin.			
Parameter	Limit	Value	Evaluation
Benzylbutylphthalate (BBP)	≤ 0.1 %	<0.005 %	Pass
Dibutylphthalate (DBP)	≤ 0.05 %	<0.005 %	Pass
Di(2-ethylhexyl)phthalate (DEHP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-butylphthalate (DIBP)		<0.005 %	No Specification
Di-iso-nonylphthalate (DINP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-decylphthalate (DIDP)	≤ 0.1 %	<0.005 %	Pass

Sample Description: 2) Cap (PP)		Lab Reference No: 580609-02	
Test Method / Standard: Phthalates: DIN EN ISO 14389:2023-01 (modified), extraction with THF/ACN, GC-MS and/or LC-MS analysis, reporting limit: 50 mg/kg			
Test Location: Parameter has been analyzed at accredited BVCPS laboratory Schwerin.			
Parameter	Limit	Value	Evaluation
Benzylbutylphthalate (BBP)	≤ 0.1 %	<0.005 %	Pass
Dibutylphthalate (DBP)	≤ 0.05 %	<0.005 %	Pass
Di(2-ethylhexyl)phthalate (DEHP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-butylphthalate (DIBP)		<0.005 %	No Specification
Di-iso-nonylphthalate (DINP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-decylphthalate (DIDP)	≤ 0.1 %	<0.005 %	Pass

Sample Description: 3) Pull lid (EVA Copolymer)		Lab Reference No: 580609-03	
Test Method / Standard: Phthalates: DIN EN ISO 14389:2023-01 (modified), extraction with THF/ACN, GC-MS and/or LC-MS analysis, reporting limit: 50 mg/kg			
Test Location: Parameter has been analyzed at accredited BVCPS laboratory Schwerin.			
Parameter	Limit	Value	Evaluation
Benzylbutylphthalate (BBP)	≤ 0.1 %	<0.005 %	Pass
Dibutylphthalate (DBP)	≤ 0.05 %	<0.005 %	Pass
Di(2-ethylhexyl)phthalate (DEHP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-butylphthalate (DIBP)		<0.005 %	No Specification
Di-iso-nonylphthalate (DINP)	≤ 0.1 %	<0.005 %	Pass
Di-iso-decylphthalate (DIDP)	≤ 0.1 %	<0.005 %	Pass

The test results relate only to the received and tested item. Without the written consent of Bureau Veritas Consumer Products Services Germany GmbH excerpts of this report shall not be reproduced. If the standard or the customer defines no decision rule, the laboratory applies a decision rule following the "Binary Statement for Simple Acceptance Rule (w=0)" (chapter 4.2.1) of ILAC Guidelines on Decision Rules and Statements of Conformity (ILAC-G8:09/2019). The results in this test report are reported in a simplified way (et al. without measurement uncertainty).

The measurement uncertainties underlying each procedure can be viewed [here](#).

Bureau Veritas Consumer Products Services Germany GmbH
www.bureauveritas.de/cps
Phone: +49 (0)40 - 740 41 - 0

Managing Director: Sebastian Doose
VAT-No.: DE164793120
Reg.No.: Schwerin HRB 3564

Schwerin
Mettenheimer Straße 12-14, 19061 Schwerin
cps-schwerin@bureauveritas.com

Hamburg
Oehleckerweg 40, 22419 Hamburg
cps-hamburg@bureauveritas.com

Türkheim
Businesspark A96, 86842 Tuerkheim
cps-tuerkheim@bureauveritas.com

Nuremberg
Thurn-und-Taxis-Str. 18, 90411 Nuremberg
cps-nuernberg@bureauveritas.com

The testing of mixed samples is carried out at the customer's explicit request and may imply a deviation from the testing standard. Please note the following: results that are above the limit for the composite sample may be below the limit if the individual samples contained in the composite sample are tested separately. In these cases separate testing of the samples is recommended.



Stefan Pasedag

No results printed beyond this point in the report

Parameters & CAS No.

Phthalates	(CAS No.)
Di(2-ethylhexyl)phthalate (DEHP)	(117-81-7)
Di-iso-decylphthalate (DIDP)	(26761-40-0)
Di-iso-decylphthalate (DIDP)	(26761-40-0, 68515-49-1)
Di-iso-nonylphthalate (DINP)	(28553-12-0)
Di-iso-nonylphthalate (DINP)	(28553-12-0, 68515-48-0)
Di-iso-butylphthalate (DIBP)	(84-69-5)
Dibutylphthalate (DBP)	(84-74-2)
Benzylbutylphthalate (BBP)	(85-68-7)